

Efficiency improvement in debugs and investigations

~ Pass Through/Ladder Monitor ~

Issue No.79
December 2015

We introduce two functions of Monitouch concerning a PLC in this issue. They are certain to prove valuable.

1. Efficiency improvement with Pass Through
2. Quick condition check on a PLC with Ladder Monitor

1. Efficiency improvement with Pass Through


BEFORE

In cases where Monitouch is connected to a PLC through the CPU port, it is required to take the cable between Monitouch and a PLC off in order to monitor/modify a ladder program on a PLC programming tool.

<Connection between Monitouch and a PLC>



<Monitoring/modifying a PLC>



Inserting and removing a cable every time



It is troublesome to insert and remove a cable. I want to debug a Monitouch program with checking on a PLC programming tool.

<Modifying a Monitouch program>



Using Pass Through function!

AFTER

It is possible to access a PLC via Monitouch with a cable connected Monitouch and a PC.



No need to insert and remove a cable!
It is possible to transfer a program to Monitouch!




You can debug and modify a program there and then!

*Refer to "V9 series Reference Manual 2" regarding supported PLC models.

2. Quick condition check on a PLC with Ladder Monitor

BEFORE


Maintenance workers need to prepare an environment for connecting a PC and a PLC in order to check out the condition of a PLC when a problem occurs with machinery.



Using Ladder Monitor function!

AFTER

No need to open and close the control panel because it is possible to display a ladder program on Monitouch!
You can check out the condition of a PLC without a PC!



*It is required to store the PLC ladder program on a SD card/an USB thumb drive.
*Refer to "V9 series Ladder Monitor specifications" regarding supported PLC models.

Would you like to improve and speed up debugs and investigations using Pass Through/Ladder Monitor function?

Hakko Electronics Co., Ltd.

Overseas Sales Dept.
TEL: +81-76-274-2144 FAX: +81-76-274-5136
<http://monitouch.fujielectric.com/>